

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S23	422	((schedul\$5 near (queue or buffer\$3 or fifo)) same (indicat\$5)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:04
S24	34	((schedul\$5 near (queue or buffer\$3 or fifo)) same (full or empty) same (indicat\$5)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:25
S25	51	((schedul\$5 near (queue or buffer\$3 or fifo)) same (full or empty) same (flag or bit)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:21
S26	26	((schedul\$5 and (queue or buffer\$3 or fifo))) .ti. and ((full or empty) same (flag or bit or indicat\$6)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:02
S27	2	"6481251".pn. and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:03
S28	1581	((((queue or buffer of fifo)) same ((flag or indicat\$5) near empty)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:42
S29	45	(((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same flow) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:47
S30	17	(((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) near data) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:54

EAST Search History

S31	1	(((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) near search\$5) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:54
S32	2	(((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same search\$5) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:57
S33	4	(((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same format) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:58
S34	328	(((((queue or buffer of fifo)) same ((flag or indicat\$5) same empty)) same format) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:59
S35	11	(((((queue or buffer of fifo)) same ((flag or indicat\$5) same empty)) same format same search\$5) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:00
S36	27	(((((queue or buffer of fifo)) same ((flag or indicat\$5) near empty near bit))) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:14
S37	73	(detect\$5 near (buffer or memory or fifo or queue) near empty) and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:15
S38	33	(detect\$5 near (buffer or memory or fifo or queue) near empty) and flow and (@rlad<"20011101" or @ad<"20011101"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:17

EAST Search History

S39	1	((detect\$5 near (buffer or memory or fifo or queue) near empty) same search\$6) and flow and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:17
S40	1	((detect\$5 near (buffer or memory or fifo or queue) near empty) same search\$6) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:31
S41	420	(search\$5 same (memory or buffer or queue or fifo) same (indicat\$5 or flag) same (empty or (no adj data))) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:36
S42	34	(search\$5 same (memory or buffer or queue or fifo) same ((indicat\$5 or flag) near (empty or (no adj data)))) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:37
S43	860	((buffer or memory or fifo or queue) near empty near (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:39
S44	418	((buffer or memory or fifo or queue) adj empty adj (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:39
S45	418	((buffer or memory or fifo or queue) adj empty adj (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:39